

# A Preliminary Experiment on Slope Rehabilitation with Vetiver and Native Plants in South China

Xuhui Kong<sup>1</sup>, Weiwen Lin<sup>1</sup>, LiXia Gao<sup>2</sup>, Hong Hao<sup>3</sup>

<sup>1</sup>*Floricultural Research Institute of Guangdong Academy of Agricultural Sciences, Guangzhou 510640, China*

<sup>2</sup>*Shunde Ming Zhi Xing Floritech Co., Ltd., Shunde 528313, China*

<sup>3</sup>*Guangzhou Hongri Landscape-Gardening Company, Guangzhou 510630, China*

**Abstract :** Vetiver has been used very successfully in erosion control in many countries. It is therefore an excellent plant for slope works. In addition, it is much cheaper using vetiver grass than alternative measures. The cost of embankment stabilization with conventional engineering methods can be reduced by 90% when vetiver is used as an alternate. But Vetiver grass has a weakness that is brown off in winter; as a result the landscape effect is not effective. So some Highway Administrative Departments have not accepted Vetiver grass. In order to solve this problem, a mixed planting technique combining Vetiver and native plants was conducted in Baiyun District, Guangzhou. Eight native species were selected mainly for their suitability to grow on exposed sites and in poor soil conditions. Based on the survival and growth rate of the seedlings, the trial indicated that the Vetiver and Native Plants Technique (VNPT) is a simple, practical, low maintenance and very effective method for slope works.

**Key Words:** Vetiver grass, native plant species, erosion control, Rehabilitation, slope

**Contact:** Xuhui Kong [xuhuik@163.net](mailto:xuhuik@163.net)

## 1 INTRODUCTION

Guangdong Province is located at the southernmost end of China's mainland. It covers a land area of 178,000 square kilometers. Out of the total land area, 69% is hilly and mountainous lands. The erosion hazard applies particularly to sloping lands. The area of water erosion is about 2 thousand square km's, especially in the cities of Zhaoqing and Yunfu, which account for 88% of the total area impacted by water erosion. The total amount of soil erosion has reached 85 million tons annually. Water and soil erosion, and land desertification are still not under control. Soil erosion results in serious land degradation in many areas and the complete loss of soil organic material and finally exposure of the bedrock in some mountainous areas. Where rocky desertification landscape appear, soil erosion often leads to the silt-up of reservoirs, lakes and rivers. Desertification caused by soil erosion seriously affects the development of the agricultural economy. Poverty-stricken counties located in the severe soil erosion areas account for 78 percent of 200 poverty counties in China.

Since 1980's, Vetiver Grass Technology has sought to solve the problems of soil erosion and water run-off, instead of earthworks and engineered construction. Vetiver Grass (*Vetiveria zizanioides*) has been internationally demonstrated to be a very effective species for steep slope stabilization and flood mitigation (Xia *et al.*, 1997; Hengchaovanich, 1998). Vetiver grass, a perennial grass, has broad adaptability and strong resistance to adverse conditions. Because it grows rapidly and forms a massive

root system, it is ideal for soil and water conservation when planted as a hedgerow along contour lines (National Research Council, 1993; Truong, 1994). This experiment's objective was to select native plants, which can survive the extremes of drought, heat, barren soil conditions, and apply the mixed planting technique of Vetiver and native plants for slope rehabilitation.

## 2 ENVIRONMENTAL APPLICATIONS

### 2.1 Dongsheng County, Baiyun District

Dongsheng County is located at the northern suburbs of Guangzhou, about 35 km from the downtown. The highest annual rainfall is 2100mm, the mean annual temperature is 21.4°C. There were 51 quarries in Baiyun District, Guangzhou, which account for 73% of the total quarries in Guangzhou city. Soil erosion is a very serious problem in these quarries. The trial site, had a gradient of 50°, and was located near Dongsheng quarry.

### 2.2 Soil Properties of Slopes

The soils in the slope above were acidic, very infertile, and contained almost no nutrients or organic matter.

**Table 1 Basic Characteristics of Soils in Slopes**

Locality	pH	Organic matter (g/kg)	Total N (g/kg)	Available P (mg/kg)	Gravel to soil (%)
Up-slope	6.02	1.56	0.19	0.06	25
Down-slope	5.25	2.98	0.26	0.08	36

## 3 RESULTS AND DISCUSSION

### 3.1 Selection of the Native Plants for the Slope Rehabilitation

Guangdong, Located on the line of the Tropic of Cancer and between the north latitudes 20° 09' 25"31' and the east longitudes 109°45 ' -117°20 ', has mainly a warm and humid subtropical climate with mild winters. With plenty of rainfall and sunshine grows a very large diverse range of vegetation including crops, vegetables, fruit as well as plants. There are over 5 000 kinds of vascular plants. 128 of China's exclusive species out of 75 genera of 40 families are distributed in this province.

The species used in the trial have been selected from within all the province, mainly for their suitability to grow on exposed sites and in poor soil conditions (Table 2).

### 3.2 Growth Situation of Nativier Plants in the Slopes

In 2002 and 2003, we conducted a trial on the slope at Dongsheng County in collaboration with Shunde Ming Zhi Xing Floritech Co., Ltd. and Guangzhou Hongri Landscape-Gardening Company to plant native shrubs species on steep (50°) land slopes. The slope was all lateritic red soil developed from granite. Eight native plants were planted after Vetiver grass had been established. The experiment will last for two to three years. So far, the growth situation of the plants is satisfactory.

**Table 2 The Species Selected for the Slopes Rehabilitation**

Species	Description	Flowers	Blossom	Propagation
<i>Psychotria asiatica</i>	Evergreen shrub	Pale pink	All the year	Seeds
<i>Melastoma sanguineum</i>	Evergreen shrub	pink	All the year	Seeds or cutting
<i>Rhaphiolepis indica</i>	Evergreen shrub	Dark pink	3	Seeds,semi-hardwood cuttings
<i>Gardenia Jasminoides</i>	Evergreen shrub	White	4-7	Seeds or cuttings
<i>Mussaenda pubescens</i>	Evergreen shrub	White	4-7	Seeds
<i>Rhodomyrtus tomentosa</i>	Evergreen shrub	Pink red	4-7	Seeds or cutting
<i>Gordonia axillarisye</i>	Evergreen shrub	White	10	Seeds
<i>Melastoma candidum</i>	Evergreen shrub	Red	5-8	Seeds or cutting

#### 4 SUMMARY

Eight native species, *Psychotria asiatica*, *Melastoma sanguineum*, *Rhaphiolepis indica*, *Gardenia Jasminoides*, *Mussaenda pubescens*, *Rhodomyrtus tomentosa*, *Gordonia axillarisye*, and *Melastoma candidum* were selected to grow on exposed sites and in poor soil conditions. The result of this experiment has shown that Vetiver grass was a cheap, safe, and effective technique to slow erosion and retain soil moisture. Vetiver acts as a pioneer plant growing where other plants would not survive and provides micro-climatic conditions where native species may become established. The trial indicated that a mixed planting technique of Vetiver grass and native plants can be used to stabilize soils on slopes.

The climate of South China is not suitable for planting trees on slopes steeper than 50° because the trees are prone to damage by typhoon winds.

#### 5 ACKNOWLEDGMENTS

Our gratefully thanks is presented to The Aboretum of the South China Agricultural University for their support. A special thanks is also extended to Dr. Paul Truong of Resource Sciences Centre Queensland Department of Natural Resources Brisbane, Australia, for his work in proof reading.

#### 6 REFERENCES

- Ao HX, He DQ, Xia HP. 1993. A trial on vetiver planted in soil erosion regions of East Guangdong. Guangdong Agriculture Science, (4): 28-29.
- Hengchaovanich D. 1998. Vetiver grass for slope stabilization and erosion control. Tech. Bull. No. 1998/2, Pacific Rim Vetiver network, Office of the Royal Development Projects Board, Bangkok,

Thailand

- Xia HP, Ao HX, He DQ. 1994. Effects of environmental factors on vetiver grass growth. *Chinese Journal of Ecology*, 13(2): 23-26
- Xia HP, Ao HX, He DQ, *et al.* 1996. A study on vetiver grass in soil amelioration, and soil and moisture conservation. *Tropical Geography*, 16(3): 265-274
- Xia HP, Ao HX, Liu SZ, *et al.* 1997. Vetiver grass--an ideal species for soil and water conservation. *Ecological Science*, 16(1): 75-84
- Xia HP, Ao HX, Liu SZ. 1998. The vetiver eco-engineering--a biological technique for realizing sustainable development. *Chinese Journal of Ecology*, 17(6): 44-50
- Zheng D, Shen YC. 1998. Studies on process, restoration and management of the degrading slopelands--a case study of purple soil slopelands in The Three Gorges areas. *Acta Geographica Sinica*, 53: 116-121
- Chen FH. 1987. *Flora of Guangdong*. Guangdong Science and Technology Press. Vol.1-4

#### **A Brief Introduction to the First Author**

Xuhui Kong, an Associate Professor in Engineering in Landscape-Gardening, is a Vice-Director of the Floricultural Research Institute of GAAS. He has undertaken a wide range of Landscape-Gardening and environmental protection related research projects, including new ornamental plants introduction, acclimatization, wastewater purification and slope work. He has had over 15 academic papers published in this area.